

Supplemental Information for:

**Epigenetic age estimation for Hawaiian false killer whales
(*Pseudorca crassidens*) in the absence of 'known age' individuals**

Karen K. Martien
Robin W. Baird
Kelly M. Robertson
Michaela A. Kratofil
Sabre D. Mahaffy
Kristi L. West
Susan J. Chivers
Frederick I. Archer

MOLECULAR ECOLOGY

Table. S1. Primer design and optimization details for the 12 loci for which we designed primers. The first eight loci were used in this study, while the remaining four were eliminated following optimization. Start and end positions and sequence length refer to the total sequence extracted from the *O. orca* genome for use in primer design, while amplicon length is length of the product amplified by the primers we designed. The final column lists the number of mutations between the *O. orca* sequence and the false killer whale consensus sequence generated from our data (for loci retained in study) or optimization notes (for loci omitted).

Locus	Reference	O. orca chromosome	Start position	End position	Sequence length	Forward Tm	Reverse Tm	Final annealing temp	Amplicon length	# CpG sites	Substitutions relative to <i>O. orca</i>
TET2	Grönniger et al 2010	NW_004438445.1	6543392	6543750	358	55.9	58.4	57	192	10	0
GRIA2	Chakrabarti et al 2001, Koch et al 2011	NW_004438421.1	18635500	18635950	450	61.9	57.9	58	243	15	2
DIRAS3	Horvath 2013	NW_004438546.1	4692750	4693250	500	55.6	55.4	54	278	28	0
FLJ0945	Horvath 2013	NW_004438525.1	7905350	7905850	500	55.2	55.4	54	285	20	2-bp deletion in FKW
KCNC4	Horvath 2013	NW_004438417.1	25124695	25125250	555	60.7	57.8	58	325	40	0
VGF	Horvath 2013	NW_004438442.1	15154650	15155220	570	55.9	56.5	55	348	35	0
HMG20B	Horvath 2013	NW_004438719.1	477160	477777	617	58	57.6	57	265	19	1
PRDM12	Horvath 2013	NW_004438443.1	2072900	2073400	500	64.3	65	64	353	40	1
Loci not chosen:											
Locus	Reference	O. orca chromosome	Start position	End position	Sequence length	Forward Tm	Reverse Tm		Amplicon length	# CpG sites	Notes
KHDRBS2	Horvath 2013	NW_004438437.1	19776130	19776679	549	57.6	56.1		324	9	Inconsistent amplification
CDKN	Koch et al 2011	NW_004438482.1	622300	622800	500	59.7	58.8		340	41	Inconsistent amplification
KLF14	Horvath 2013	NW_004438464.1	12005300	12005869	569	56.3	55.4		279	30	Inconsistent amplification
SCGN	Horvath 2013	NW_004438470.1	858233	858813	580	55.7	57.1		343	20	

Table S2. Predictive accuracy of all models (n = 318). The MAE and mean residual are given for all samples, as well as for those with *Age_{best}* estimates between 0 and 9 years, 10 to 24 years, and 25 to 40 years. Corr is the Pearson's correlation coefficient between *Age_{best}* and predicted age. Models are sorted by overall MAE.

Table in separate Excel spreadsheet




Figure S1. The difference between Age_{max} and Age_{min} as a function of Age_{best} . Points are color-coded based on their confidence rating. Note that, for a given age class, the range of plausible ages for high-confidence samples (confidence ≥ 4) is consistently smaller than for low-confidence samples.




Figure S2. Median number of reads per sample (A) and per CpG site (B) in the final data set.




Figure S3. Heat maps showing absolute value of correlation coefficients of methylation among CpG sites within a locus.




Figure S5. Predicted age probability distributions from the false killer whale age clock for samples with confidence ratings of 3. Each panel shows results for a different individual. The solid black lines show the lower and upper limits of the 95% high-density interval (HDI) of the distribution. Values outside of the HDI are shown in gray bars. The dotted gray line is at Age_{best} , while the solid gray lines show the Skew-Normal age probability distribution from Kratofil et al. (2026).

Primer Sequences:

>TET2_F1
TGGGTTGATGTTATTATTTAATTATAAAGTTGG
>TET2_F2
TGGGTCGATGTTATTATTTAATTATAAAGTTGG
>GRIA2_F1
GAGTGTATGGGAGGGTGTGAGTGTG
>DIRAS3_F1
TTATTTGTATTTGTTTGTGTTTAGAGGAGG
>DIRAS3_F2
TTATTCGTATTTGTTTGTGTTTAGAGGAGG
>FLJ0945_F1
TTGTTTAATTTAAATATGGAAATGTTTAGGTTAGG
>KCNC4_F1
GGTGTGTTGGTAGGTTATTTAGTAGTAGGG
>KCNC4_F2
GGTGTGTCGGTAGGTTATTTAGTAGTAGGG
>VGF_F1
TTAGTGGGTTGGGTTTAGTTGG
>HMG20B_F1
TTTTTTAGAGTTTTTTTTTGGAGGGAGGATTTAGG
>PRDM12_F1
AGGGGTTGTAGGGAGGAGGGG
>PRDM12_F2
AGGGGTCGTAGGGAGGAGGGG
>TET2_R1
TTTTAAAACTCAACAAATTTAAAAATTAACCCAAACC
>TET2_R2
TTTTAAAACTCGACAAATTTAAAAATTAACCCAAACC
>GRIA2_R1
TTTCCAAAAAATAAAAACATCCACAAAATAC
>DIRAS3_R1
TTTAAATTAACAAATCAACTCAAAAAAAACTTC
>DIRAS3_R2
TTTAAATTAACGAATCAACTCAAAAAAAACTTC
>FLJ0945_R1
ATACCAAAAAAATAAAAACCCAAATACCC
>KCNC4_R1
CCTCCATCCAAAACATATCTAAAAAATAAAC
>KCNC4_R2
CCTCCGTCCAAAACATATCTAAAAAATAAAC

>VGF_R1
CATTCTACCATTTCATTTCATCCTTTTC
>HMG20B_R1
AAACAAAACCTCAACATCTAAAAAAAATCTAAAC
>HMG20B_R2
AAACGAAACCTCAACATCTAAAAAAAATCTAAAC
>PRDM12_R1
TCCTCATCCTCCCCATCACAACC
>PRDM12_R2
TCCTCGTCCTCCCCATCACAACC

Killer whale locus sequences:

>TET2-Oorc-wPrimer
TGGGTCGATGTCATTACTTAATTATAAAGCTGGACATTTTTTCAAATAGAGGCTCTTATGGGGGTAAATTTAAGCATT
GAAAGTGCAGATTTATTTCTTACAACCGAATCCAGCGCGAAGTGGAGAGTCACTGGTGCAGAAAGCCCTCTCGGATCTG
CGTGAATCCTTCTTCCCAGCCCACGTGGCCAAAGTAAACAGAAGGTGGGCCGGGGCGGGGAGAAGCGGGCCTGGGTC
AAATTCCTAATTTGTCGAGTCTTTAAAA
>GRIA2-Oorc-wPrimer
GAGTGCATGGGAGGGTGTGAGTGTGCCGAGGCGCTGGGACCACAGCGGCAGCCTGCTGGAAGCTGCATCCAGCCA
GTCTCCGGACTTCGCGAGCGGGGACCGGGCGCAGGAAGGCAGCCACCCGCAGGACCTTGAAATAGGGATTCTCTG
CCACCACGTCGGGTTTCTAGCAGCTCGGTGCTACATTGCTGTCTCAAATGCAGAGGATCTAATTTGCCGAGGAGAACG
GCCAAAGAAGGAAGAGGAGGAAAAGGGGGGAAAAAAGGGTATTTTGTGGATGCTCTACTTTTCTTGAAA
>DIRAS3-Oorc-wPrimer
TTATTCGTATTTGTTTGTTTTAGAGGAGGAGTAGAGATTTTCGCGTGGTGGTGTTCGGTTCGGTTCGGCGTGGGTAAGAG
CGCGTTGGTGTAGAGGTGGGTGCGCGTAATTTTCGTGAGGCGTATTTGTCGATTATCGAAGATATTTATCGTTAGGC
GTTGGGTTGTAGTTATAAGGCGGGCGTATTGTATATTATCGATATTATCGGCGGTCGTCGTTATCGGGGTTTGTAGCGT
TTCGTTATTGTTAGGGTTACGTTTTTATTTTGGTTATTTTCGTTATTAAGAAGTAAATTTTGGAGGAGTTGAAGTTTTT
TTTGAGTTGATTCGTTAATTTAAA
>FLJ0945-Oorc-wPrimer
CTGCCCAATTTAAATATGGAAATGCCAGGCCAGGCAATGCAATTATCCCGAGGCCCGGGCGGGCCGTGCAGGCCCTC
GGCTTCGGGGAGCACGGTGGCATCGCCCCCTTTCTGGTGTGTGTGAAATTATGTGCACAAAAGGCGTCTCCGTATCCG
AGTGTGTGAACTAAATAAATAAATAAGGGCTTTTGTGTTTGGCGGCTCCTGCACATGACTGTTTTGACTAAACCGCCC
GTGTTGTCTGTGCCTTTATGGGACTCAGGAGACAGGAGGCGGGGGAGGCCCGCAGGCCGGCCGGGGGCTGGGGGG
CGGCCCGGGCATCTGGGCCTCACCTCCCCTGGCAT
>KCNC4-Oorc-wPrimer
GGTGCTGCCGGTAGGTCATCCAGCAGCAGGGCTCCACGTCGGTCTCGTCGATGCCCCAGAAGGTGAGCTCCTCCTCAA
ACAGAGGCCCGCACACGTCGGCGGGGAGTGCAGCTTGCCCGTGCGGTAGTAGTTGAGCACGTAAGCAAAGACGCC
GGGTGCCGGTCAAGAAGAAGTTCGAGCCACCGCCCGCTGCTGCCTGCACCACCGCCATCGGACGCGGGCCGGCC
TCCGCCGTCGGGATCGGCCAGCCAGGCGAGGCGGGTGCCCGGTAGGGTGCGCAGGGTGTGCGGTAGGTCTCATGTC
GCGTGCCGCCACGTTGATGATGATCTTCTCCGACGCTCGCCCTTGGCCATCTCCTCCTCAGACATGTTTTGGACGGA
GG

>VGF-Oorc-wPrimer

CCAGTGGGCTGGGCTCAGCTGGATCCGCGCGGCTCCGGGAGACTCGCTCGCTCAGGCTCAGCACGCTGGACAGCGCC
CGCGCCGCTACCGCCTTATAAAGAGGAGCGCGCGGGGTCACGTGGGAATCGCCCCGCCCATGACGTCAATGTTTAT
TCATGGGGAAGCGGGCGGGCGCCTAGAGGCGGGAGGCCGCCAGCGATTGGAGGATGCGTGCCTCTCCCGGCCCGC
GCCTGCGCGCTGCAGGCCTCTTTGGAGGGGTGTGCGCTATCCTGGCACCAGGGAAATGAATGAATGAAGGAATGAAT
GAATGAATGCTGAGGCGGGCGGGCAGGGGGGCTATGAATGAATGAAGGAGGGACGAGGAGAAAAGGATGAATG
AATGAATGGCAGAATG

>HMG20B-Oorc-wPrimer

CCTCTCAGAGCCCTCCTCTGAGGGAGGACTCAGGGCCCTCTCTGCCAACTCCGCCGTCGGTGTGGGAAGTGGGGGTG
ACCCTGGCTTCCCATGGCTCCAGGCCGCGAGCGGCAAGGCTCCAGGACAGCATGGGGGCTTCGTGGTGGCTGTCAA
GCAAGAGCGCGGCGAGGGCCCGAGGGCCGGAGATAAGGGGTCCCACGAGGAGGAGGTGAGAGTCCCTGCACTGTG
GTGGCGGCGGCCCTTAGTCTTGAAGCTCCGCCCGAACTCAATTTGAATTCGTTGTGGCTCCGCCACAGTCCAGATTC
CCTCCAGATGCTGAGGCCCGCC

>PRDM12-Oorc-wPrimer

AGGGGCCGAGGGAGGAGGGACGCGATCGGCCTCGACGGCGCGACTCACCGCCCGAGAAGGACTGCGCCAGGACC
TCGGCGGTGAAGGCTGTCTTGGGGTGGCGTGGTGGCTCTTGTCTTGAAGAGCTGCTCGCCAGCACGTTGCGCCAG
CGGCCGTACAGGAAGCTGTGCAGGATGTGCGAGGTGATGACCTCTGCCAGCGCCAGCCCCGCGCCTTCAGCCCTGTC
TTGAGCACCAGGGCCTCAGCCGGGAGCACGGAGCCCATCATGGGCGGCCCGGGGCTCGCCGGCGCCGGGGACGGAC
GGCCGGACGGCCGGGCCGAGGCGGGTATGTGGTGGGCGAGTGGGGAGCACAGGGGGCGAGAGAAGAGGGCTGTGAT
GGGGGAGGACGAGGA

False killer whale bisulfite-converted consensus sequences:

>TET2-Pcra-consensus

GTTGATGTTATTATTTAATTATAAAGTTGGATATTTTTTAAAATAGAGGTTTTTATGGGGGTAAATTTAAGTATTTGAAA
GTGTAGATTTATTTTTATAATCGAATTTAGCGCGAAGTGGAGAGTTATTGGTGCAGAAAGTTTTTTGGATTTGTGTGAA
TTTTTTTTTTAGTTTATGTGGTTAAAGTAAATAGAAGGTGGGTTGGGGTGGGGAGAAGTGGGTTTGGGTAAATTTTT
AATTTGTTGAGTTT

>GRIA2-Pcra-consensus

TGTATGGGAGGGTGTGAGTGTGTTGAGGTGTTGGGATTATAGTGGTAGTTTGTGGAAGTTGTATTTAGTTAGTTTTT
GGATTTTGTGAGTGGGGATTGGGTGTAGGGTGGTAGTTATTTGTAGGATTTTGGAAATAGGGATTTTTTTGTTATTATG
TTGGTTTTTAGTAGTTTGGTGTATATTGTTGTTTTAAAATGTAGAGGATTTAATTTGTTGAGGAGAATGGTTAAAGAA
GGAAGAGGAGGAAAAGGGGGGAAAAAAGGGTATTTTGTGGATGTTTTATTTTTT

>DIRA-Pcra-consensus

TATTTGTTGTTTTAGAGGAGGAGTAGAGATTTTCGCGTGGTGGTGTTCGGTTCGGTCGGCGTGGGTAAGAGCGCGTT
GGTGTAGAGGTGGGTGCGCGGTAATTTTCGTGAGGCGTATTTGTGATTATCGAAGATATTTATCGTTAGGCGTTGGG
TTGTAGTTATAAGGCGGGCGTATTGTATATTATCGATATTATCGGCGGTCGTCGTTATCGGGGTTTGTAGCGTTTCGTTA
TTGTTAGGGTTACGTTTTTATTTGGTTTATTTTCGTTATTAAGAAGTAAATTTTGGAGGAGTTGAAGTTTTTTTTTGTAGT
TGATTTGTAA

>FLJ0945-Pcra-consensus

ATTTAATTTAAATATGGAAATGTTTAGGTTAGGTAATGTAATTATTTTTGAGGTTTGGTGGGTTGTGTAGGTTTTTGGTT
TTGGGGAGTATGGTGGTATTGTTTTTTTTTGGTGTGTGTGAAATTATGTGTATAAAAGGTGTTTTTGTATTTGAGTGTG

TGAATTAATAAATAAATAAGGGTTTTGTTGTTGTTGGTTTTGTATATGATTGTTTTGATTAATTGTTTGTGTTGTT
TGTTTTATGGGATTTAGGAGATAGGAGGTGGGGGAGGTTTTGTAGGTTGGTTGGGGGTTGGGGGTTGGTTGTTGGG
TATTTGGTTTTATT

>KCNC4-Pcra-consensus

TTGTTGGTAGGTTATTTAGTAGTAGGGTTTTACGTCGGTTTCGTCGATGTTTTAGAAGGTGAGTTTTTTTTAAATAGAG
GTTTCGTATACGTCGGCGGGTAGTGTAGTTTGTTCGTGCGGTAGTAGTTGAGTACGTAAGTAAAGACGTTCCGGGTGC
GGTCGAAGAAGAATTCGTAGTTATCGTCGTCGTTGTTGTTGTATTATTGTTATTGGATGTGGGTTGGTTTTGTTGTTG
GGATTGGTTAGTTAGGTGAGGTGGGTGTTGGTAGGGTGTGTAGGGTGTGTGGTAGGTTTTATGTTGTGTGTTGTT
ATGTTGATGATGATTTTTTTGATGTTTTGTTTTGGTTATTTTTTTTTTAGATATGTTTTGGAT

>VGF-Pcra-consensus

AGGTTGGGTTTAGTTGGATTTGTGTGGTTTTGGGAGATTTGTTGTTTAGGTTTTAGTATGTTGGATAGTGTGTTGTT
GTTATTGTTTTATAAAGAGGAGTGTGTGGGTTATGTGGGAATTGTTTTGTTTTATTGATGTTAATGTTATTTATGGGG
AAGTGGGTGGGTGTTTAGAGGTGGGAGGTTGTTAGTGATTGGAGGATGTGTGTTTTTTTTGGTTTGTGTTTGTGTT
GTAGTTTTTTTTGGAGGGGTGTGTGTTATTTGGTATTAGGGAAATGAATGAATGAAGGAATGAATGAATGAAATGTT
GAGGTGGGTGGGTAGGGGGTTATGAATGAATGAAGGAGGGATGAGGAGAAAAGGATGAATGAATGAATGGTAG


>HMG20B-Pcra-consensus


AGTTTTTTTTGAGGGAGGATTTAGGGTTTTTTTTGTTAATTTTTGTTGTTGGTGTGGGAAGTGGGGGTGATTTGGTTT
TTTATGGTTTTAGGTTGGTGAGTGGTAAGGTTTTAGGATAGTATGGGGTTTTGTGGTGGTTGTTAAGTAAGAGTGTG
GTGAGGGTTTGGAGGTTGGAGAGAAGGGGTTTTATGAGGAGGAGGTGAGAGTTTTTTGATTGTGGTGGTGGTGGTTT
TTAGTTTTGAAGTTTTGTTTTGAATTTAATTTGAATTTGTTGTGGTTTTGTTTATAGTTTAGATTTTTTTTTTAGATGTTGAG
GTT


>PRDM12-Pcra-consensus

TTGTAGGGAGGAGGGGATGTGATTGGTTTTGATGGTGTGATTTATTGTTTGAGAAGGATTGTGTTAGGATTTTGGTGG
TGAAGTTGTTTTGGGGTTGGTGTGGTGGTTTTGTTTTGAAGAGTTGTTGTTTAGTATGTTGTGTTAGTGGTTGTAT
AGGAAGTTGTGTAGGATGTTGGAGGTGATGATTTTTGTTAGTGTAGTTTTGGTGTTTTTAGTTTTGTTTTGAGTATTAG
GGTTTTAGTTGGGAGTATGGAGTTTATTATGGGTGGTTGGGGTTTGTGGTGTGGGGATGGATGGTTGGATGGTTG
GGTTGAGGTGGGTATGTGGTGGGTGGTGGGGAGTATAGGGGTGAGAGAAGAGGGTTGTGATGGGGGAGGAT

Figure S4. Plots of Age_{best} versus the probability of methylation (\widehat{P}_m) for all 184 CpG sites included in the final data set. Each plot is labeled with [locus name]_[position]. The line of best fit, as calculated using the R function `geom_smooth(method = 'lm')`, is shown in blue.









Age_{best}